

**CLASSIC LIFT**



**Classic CL5500-4P 5.5T 4 Post**

# Classic CL5500-4P Special Features



This 4 Post Hoist Classic CL5500-4P 5.5 Ton – 12,000-pound capacity is designed and built to commercial-grade standards and will provide many years of service. Our Classic Hoists offer many exclusive features.

The Classic CL5500-4P (12,000 LB. capacity four-post lift) incorporates many structural and cosmetic features that are found on lifts costing thousands of dollars. The Classic CL5500-4P is tested to ensure that this lift system will perform flawlessly at its rated capacities.

The Classic CL5500-4P uses a high-strength cable system (with an under runway oversized hydraulic cylinder) powered by a 240V or 415 volts power unit to raise and lower the lift. • Electric-air control operation system.

Mechanical self-lock and air-driven safety release.

Electrical hydraulic power system, cable-driven.

Non-skid diamond platform.

Adjustable platform and adjustable safety lock ladders.

Dual safety device: In case the primary safety locks are out of operation, the lift would also be locked automatically by a second safety device.


Optional Rolling Jack

Registered with Worksafe

Optional LED Lights

Optional Front Extension Kit

# Classic CL5500-4P Specification



Model	Classic CL5500-4P	Non-Alignment Four-post Lift
Lifting Capacity		5500kg (12,000 lbs)
Lifting Time		63 Seconds
Overall Length (Inc Ramps)	A	6012mm (236 5/8")
Overall Length (No Ramps)	B	5100mm (200 3/4")
Overall Width	C	3208mm (126 1/4")
Width Between Columns	D	2852mm (112 1/4")
Lifting Height	E	1865mm (73 1/2")
Overall Height	F	2185mm (86")
Minimum Height	G	170mm (6 5/8")
Runway Width	H	508mm (20")
Width Between Runway	I	Max.1300mm (51 1/8")
Gross Weight		1070Kg (2,359 lbs)
Motor		4.0 HP/2.0HP