

A four-post car lift is the central focus, featuring four black vertical posts and two long, black, textured platforms. A white hydraulic reservoir with a yellow warning label is mounted on the left post. The lift is situated in a well-lit garage with a corrugated metal roof. In the background, there are workbenches, a large fan, and a window with a white curtain. To the left, a blue car is partially visible, and a red vertical post with the word 'LAUN' is also present.



Classic CL4PMR-4T 4 Post 4 Tonne



Classic CL4PMR-4T

- The Classic CL4PMR-4T Extra High Commercial Grade 4-post Lift for Cars, Vans, and Light trucks. The Classic CL4PMR-4T requires no special foundation or complicated installation. These features and more make the Classic CL4PMR-4T one of the best commercial use lifts in the world
- You can also Relocate or re-position your power unit for the Classic CL4PMR-4T four-post lift in just minutes with this optional 90° mounting bracket and along with the ability to use a Rolling jack.
- 4000Kg (9,000 lbs) capacity is great for handling light-duty cars, vans, and trucks.
- **Classic exclusive hidden safety locks and manual single-point release device allow for operators to unlock the safety locks from one column simultaneously.**
- Double-S shaped columns help increase the columns' strength.
- Skidproof diamond platform provides traction for tires to stay put.
- Flexible design: the power side column can be installed at any corner.
- It can be a 240V or 415V Power unit.

Classic CL4PMR-4T Specification



Model	Classic CL4PMR-4T	4-Post 4 Tonne
Lifting Capacity		4000kg (9,000 lbs)
Lifting Time		122 Seconds/54 Seconds
Overall Length (Inc Ramps)	A	5857mm
Overall Length (No Ramps)	B	5000mm
Overall Width	C	3206mm
Width Between Columns	D	2860mm
Lifting Height	E	2172mm
Overall Height	F	2405mm
Minimum Height	G	155mm
Runway Width	H	508mm
Width Between Platforms	I	1077mm