




**Classic CL6500-4P 6.5T 4 Post Hoist**



# Classic CL6500-4P Special Features

- This 4 post Hoist is designed and built to Automotive commercial workshop standards and will provide many years of service Classic heavy-duty four-post lift can raise 14000 lbs in just 76 seconds... Stronger and Faster
- The Classic CL6500-4P is tested to ensure that this lift system will perform flawlessly at its rated capacities. And has been manufactured to the same exacting specifications for many years.
- The Classic CL6500-4P uses a high strength cable system (with an under runway oversized hydraulic cylinder) powered by a 240V volt single-phase or 415V power unit to raise and lower the lift.
- Electric-air control operation system.
- Mechanical self-lock and air-driven safety release.
- Electrical hydraulic power system, cable-driven.
- Skid proof diamond platform.
- Adjustable platform and adjustable safety lock ladders.
- Dual safety device: In case the primary safety locks are out of operation, the lift would also be locked automatically by a second safety device.
- Optional Rolling Jack
- Optional Front Extension Kit
- 1 Year Warranty on electrical and hydraulics including Hoist Rams / 5-year structural warranty.
- Registered with Worksafe
- Optional LED Lights

# Classic CL6500-4P Specification



Model	Classic CL6500-4P	4-post Hoist
Lifting Capacity		6500kg (14,000 lbs)
Lifting Time		76 Seconds
Overall Length (Inc Ramps)	A	6541mm (257 1/2")
Overall Length (No Ramps)	B	5500mm (216 1/2")
Overall Width	C	3324mm (130 7/8")
Width Between Columns	D	2946mm (116")
Lifting Height	E	1865mm (73 1/2")
Overall Height	F	2185mm (86")
Minimum Height	G	200mm (7 7/8")
Runway Width	H	508mm (20")
Width Between Runway	I	Max.1385mm (54 1/2")
Gross Weight		1288Kg (2,840 lbs)