

# CLASSIC CL4000CXW

## EXTRA WIDE 2 POST 4 TONNE

### CLEARFLOOR HOIST



# CLASSIC CL4000CXW

- THE CLASSIC CL4000CXW HOIST FEATURES OUR NEW VERSATILE AND ERGONOMIC ARM DESIGN THAT ALLOWS THE USER OF THE HOIST TO EITHER DRIVE ON OR REVERSE ON WITHOUT THE NEED TO SWAP THE ARMS AROUND.
- INNOVATIVE SUPERSYMMETRIC TECHNOLOGY PROVIDING TECHNICIANS WITH THE VERSATILITY TO LIFT VEHICLES BOTH SYMMETRICALLY AND ASYMMETRICALLY UPON DEMAND. WITH STANDARD FEATURES THAT INCLUDE ADJUSTABLE HEIGHT, DIRECT-DRIVE CYLINDERS, POWDER COAT FINISH.




# CLASSIC CL4000CXW

## SPECIAL FEATURES

- 4000KG (9,000LBS) CAPACITY.
- DUAL HYDRAULIC DIRECT-DRIVE CYLINDERS MADE ON A HIGH STANDARD.
- 4 THREE-STAGES ARMS ARE SUITABLE FOR MORE VEHICLES AND AUTOMATIC ARM RESTRAINTS.
- 3/8" AIRCRAFT QUALITY CABLE IS USED FOR SYNCHRONIZATION.
- SINGLE-POINT SAFETY RELEASE, ALLOW THE TECHNICIAN TO DISENGAGE BOTH COLUMNS SIMULTANEOUSLY.
- SELF-LUBRICATING UHMW POLYETHYLENE SLIDERS AND BRONZE BUSH.
- CLEAR-FLOOR DESIGN, PROVIDE UNOBSTRUCTED FLOOR USE.
- OVERHEAD SAFETY SHUT-OFF DEVICE PREVENTS VEHICLE DAMAGE.
- ADJUSTABLE DOUBLE SCREW LIFT PADS ARE INCLUDED WITH THE CLASSIC CL4000CXW.
- STANDARD ADJUSTABLE HEIGHTS ACCOMMODATE VARYING CEILING HEIGHTS.
- STANDARD DOOR GUARDS.
- STANDARD TOE GUARDS ON LIFTING ARMS.



# CLASSIC CL4000CXW SPECIFICATIONS



Model Classic CL4000CXW	Clearfloor Direct- drived
Lifting Capacity	4000kg (9,000 lbs)
Lifting Time	57 Seconds
Lifting Height	A 1815-2044mm
Overall Height	B 3621/3821mm
Overall Width	C 3578mm
Drive-Thru Clearance	D 2678mm
Width Between Columns	E 3000mm
Minimum Pad Height	F 90mm
Gross Weight	695Kg
Motor	240V OR 415V (3.0HP)